
Product Specifications







78EZNF





General Specifications

Interface N Female
Body Style Straight
Brand EZfit®
Mounting Angle Straight

Electrical Specifications

Connector Impedance 50 ohm

Operating Frequency Band 0 – 5000 MHz

Cable Impedance 50 ohm

3rd Order IMD, typical -116 dBm @ 1800 MHz 3rd Order IMD Test Method Two +43 dBm carriers

RF Operating Voltage, maximum (vrms) 707.00 V
dc Test Voltage 2000 V
Outer Contact Resistance, maximum 0.30 mOhm
Inner Contact Resistance, maximum 2.00 mOhm
Insulation Resistance, minimum 5000 MOhm
Peak Power, maximum 10.00 kW
Insertion Loss, typical 0.05 dB

Product Specifications




78EZNF

POWERED BY



Outline Drawing



Mechanical Specifications

Outer Contact Attachment Method Clamp
Inner Contact Attachment Method Captivated

Outer Contact Plating Trimetal
Inner Contact Plating Silver
Attachment Durability 25 cycles
Interface Durability 500 cycles

Interface Durability Method IEC 61169-16:9.5

Connector Retention Tensile Force 1334 N | 300 lbf

Connector Retention Torque 8.13 N-m | 72.00 in lb

Insertion Force 66.72 N | 15.00 lbf

Insertion Force 66.72 N | 15.00 lbf
Insertion Force Method MIL-C-39012C-3.12, 4.6.9

No

Pressurizable

Dimensions

Nominal Size 7/8 in

Environmental Specifications

Operating Temperature $-40 \, ^{\circ}\text{C} \text{ to } +85 \, ^{\circ}\text{C} \, (-40 \, ^{\circ}\text{F to } +185 \, ^{\circ}\text{F})$ Storage Temperature $-55 \, ^{\circ}\text{C} \, \text{to } +85 \, ^{\circ}\text{C} \, (-67 \, ^{\circ}\text{F to } +185 \, ^{\circ}\text{F})$

Immersion Depth1 mImmersion Test MatingMated

Product Specifications



POWERED BY



78EZNF

Immersion Test Method IEC 60529:2001, IP68

Water Jetting Test Mating Mated

Water Jetting Test Method IEC 60529:2001, IP66
Moisture Resistance Test Method MIL-STD-202F, Method 106F

Mechanical Shock Test Method MIL-STD-202F, Method 213B, Test Condition C

Thermal Shock Test Method MIL-STD-202F, Method 107G, Test Condition A-1, Low Temperature -55 °C

Vibration Test Method IEC 60068-2-6

Corrosion Test Method MIL-STD-1344A, Method 1001.1, Test Condition A

Standard Conditions

Attenuation, Ambient Temperature 20 °C | 68 °F Average Power, Ambient Temperature 40 °C | 104 °F

Return Loss/VSWR

Frequency Band	VSWR	Return Loss (dB)	
50-1000 MHz	1.02	40.00	
1000-1900 MHz	1.03	38.00	
1900-2200 MHz	1.04	34.00	
2200-2700 MHz	1.06	31.00	
2700-3600 MHz	1.07	30.00	
3600-5000 MHz	1.11	26.00	

Regulatory Compliance/Certifications

Agency

RoHS 2011/65/EU

China RoHS SJ/T 11364-2006

ISO 9001:2008

Classification

Compliant by Exemption

Above Maximum Concentration Value (MCV)

Designed, manufactured and/or distributed under this quality management system





* Footnotes

Immersion Depth Immersion at specified depth for 24 hours

Insertion Loss, typical $0.05\sqrt{\text{freq (GHz)}}$ (not applicable for elliptical waveguide)