








CONTENTS

AC Cooling Fans	74
DC Cooling Fans	75
High Output Box Fans	74
Brushless Fan	76
Fan Accessories	76

AC & DC Cooling Fans

New ball-bearing square box fans designed for reduced noise and smooth running. Life expectancy 40,000 hours. All of Quality manufacture.


AC Fans

Photo	Part #	Mfg.	Size, Inch LxWxH	mm	VAC	mA	Air Flow CFM	Type	Price Each
	A36B10A	TRW	3.6x3.6x1.0	92	115	160	105	T	9.95
	UF12B12	Mechtronics	4.7x4.7x1.0	120	120	130	106	WL	17.95
	GAA1238	Rotron	4.7x4.7x1.5	120	230	43	111	T	14.95
	1123XBT	Sunon	4.7x4.7x1.5	120	115	260	97	T	19.95
	MC1123LST	Sunon	4.7x4.7x1.5	120	115		76	T	11.95
	2123XBT	Swan	4.7x4.7x1.5	120	220	140	97	T	19.95
	148VP*	ETRI	6.75x5.875x1.5		115	120/160		T	24.95

*14/18W, 120/160mA T=Terminal, WL=Wire Leads

High Output Box Fans Manufactured by Sunon

Ideal for use in cooling Linear Amplifier tubes.



Dimensions: 4.7" x 4.7" x 1.5" (120 x 120 x 38mm)
 Frame: Die-cast aluminum painted black for moisture and corrosion resistance.
 Bearing: Precision, life-lubricated ball bearing system.
 Operating Temp.: -10° to +70°C
 Input: 115 VAC 50/60 Hz 0.26 A
 RPM: 3150 rpm
 Air Flow: 97/117 cfm
 Static Pressure: 0.39 inch - H2O
 Noise Level: 46 dBA
 Connection: Terminals, solder or use part # A2-20 connector cord.










Dimensions: 4.7" x 4.7" x 1.5" (120 x 120 x 38mm)
 Frame: Die-cast aluminum painted black for moisture and corrosion resistance.
 Bearing: Precision, life-lubricated ball bearing system.
 Operating Temp.: -10° to +70°C
 Input: 115 VAC 50/60 Hz 0.13 A
 RPM: 3150 rpm
 Air Flow: 76 cfm
 Static Pressure: 0.39 inch - H2O
 Noise Level: 46 dBA
 Connection: Terminals, solder or use part # A2-20 connector cord.

Part #: 1123XBT (12 VOLT)
List Price \$34.95 • Special \$19.95

Part #: MC1123LST
Special (1-9) \$11.95, (10-19) \$10.95

Part #: 2123XBT (24 VOLT)
List Price \$34.95 • Special \$19.95

DC Fans

Photo	Part #	Mfg.	Size, Inch LxWxH	mm	VAC	mA	Air Flow CFM	Type	Price Each
	DFB0412L	Delta	1.6x1.6x0.8	-	12V	.06	-	WL	6.95
	KDA-120510MB8P	Elina	1.9x1.9x0.4	50	12	140	-	WL	6.95
	109P0612	Sanyo	2.4x2.4x0.6	60	12	70	-	WL	6.95
	109P0412	Sanyo	1.6x1.6x0.8	41	12	13	-	WL	3.95
	D0612TM	Nidec	2.4x2.4x1.0	60	12	80	13	WL	6.95
	2410NL04W	NMB	2.4x2.4x1.0	60	12	100	17	WL	6.95
	JP3125	ILX	3.2X3.2X1.3	80	12	-	-	WL	6.95
	SP922512M	Innovat.	3.6x3.6x1.0	92	12	250	48	WL	9.95
	JF0925B1H	Kaimei	3.6 x 3.6 x 1.0	92	12	350	-	WL	9.95
	FBA12G12M	Panaflo	4.7x4.7x1.5	120	12	450	-	WL	17.95
	MD12B5	Rotron	4.7x4.7x1.8	120	12	500	100	WL	13.95
	B34262	Nidec	4.7x4.7x1.8	120	12	800	130	WL	13.95
	FFB1248EHE	Delta	4.7x4.7x1.5	120	48	750	190	WL	19.95
	MD24K7X	Rotron	4.7x4.7x1.5	120	24	.55A	-	WL	24.95
	3412N/2HH		3.62x0.98	92	12	240	-		7.95

T=Terminal, WL=Wire Leads

DC Brushless Fan

Mfg. Sony



- Ball Bearing
- 19.2W
- 51A
- 10 VDC
- 97 x 104 x 35 (mm)
- 38 CFM

Part #: SFF22C • Special: \$14.95 ea.

Centrifical Blower

12 VDC, 0.68 Amps



- 1.3" W x 3.5" Dia.
- Outlet: 1" x 2"


Part #: FBDC12H7P • Special: \$7.95 ea.

Fan Accessories

Connector Cord

Length: 24"


Part #: A2-20
Price: \$1.95 ea.



EMI Filter/Screen

4.7" x 4.7"
(120mm)

Part #: C12235
Price: \$3.95 ea.



Fan Power Cord

with AC Plug.
Length: 6'8"

Part #: FPC68FT
Price: \$1.65 ea.



Metal Finger Guard

Part #	Size	Price
FG-04	40mm	1.35
FG-06	60mm	1.05
FG-08	80mm	1.20
FG-09	92mm	1.55
FG-12	120mm	1.65

