

DUMMY LOADS & ATTENUATORS



CONTENTS

DUMMY LOADS & TERMINATIONS

1 Watt Loads	170
2-5 Watt Loads	171
15-300 Watt Loads	172
Coaxial Dynamics Oil & Dry Loads	173
Bird Oil & Dry Loads	173
Type-N Male Short	174

ATTENUATORS

Rotary	176
Fixed	175
Bird	176

DUMMY LOADS

1 Watt Dummy Loads




DUMMY LOADS: 1 Watt

1 Watt					
Photo	Part Number	Conn.	Power	Mfg./Notes	Price Ea.

BNC



	DL1BNC-F	BNC (F)	1W	Mfg. ORA Limited Supply.	\$ 2.50
	202120	BNC (F)	1W	Mfg. APL/Connex	(1-9) 5.50 (10-24) 5.25 (25-99) 4.95
	202113	BNC (M)	1W	Mfg. APL/Connex High Performance	5.95
	65BNC	BNC (M)	1W	Mfg. Shuner DC-2 GHz, 50 Ohm Limited Supply.	5.95
	202104	BNC (M)	1W	Mfg. APL/Connex	(1-9) 4.75 (10-24) 4.50 (25-99) 4.25
	000-35650-51	BNC (M) w/ Chain	1 W	50 Ohm Mfg. APL/RF Industrial	11.95
	000-35650-75	BNC (M) w/ Chain	1 W	75 Ohm Mfg. APL/RF Industrial	11.95
	000-46650-51RFX	BNC (M)	1 W	50 Ohm	(1-9) 2.05 (10-24) 1.85 (25-99) 1.55
	000-46650-75RFX	BNC (M)	1 W	75 Ohm	(1-9) 2.05 (10-24) 1.85 (25-99) 1.55

SMA


	TS398M	SMA (M)	1W	Mfg. Aeroflex DC-6 GHz	(1-9) 4.75 (10-24) 4.50 (25-99) 4.25
	3016BC	SMA (M) w/ Chain	1W	Mfg. Aeroflex DC-18 GHz Stainless	(1-9) 19.95 (10-24) 17.95 (25-99) 16.50
	R404101251	SMA (M)	1W	Mfg. Radiall Limited Supply.	6.95

1 Watt					
Photo	Part Number	Conn.	Power	Mfg./Notes	Price Ea.

TNC

	R40421000	TNC (M)	1W	Mfg. Radiall Limited Supply.	6.95
	202117	TNC (M)	1W	Mfg. APL/Connex	(1-9) 3.75 (10-24) 3.50 (25-99) 3.25

7/16 DIN

	65-716-50-0-3	7/16 DIN (M)	1W	Mfg. Huber Suhner DC-2 GHz Limited Supply.	34.95
---	---------------	-----------------	----	---	-------

F

	221154	F (M)	1W	Mfg. APL/Connex 75 Ohm	(1-9) .60 (10-24) .55 (25-99) .48
---	--------	-------	----	----------------------------------	---

Mini UHF

	182328	MUHF (M)	1W	Mfg. APL/Connex	12.95
--	--------	----------	----	-----------------	-------

Type-N

	3C130	N (M)	1W	Mfg P/N UG1185/U DC-500 MHz Limited Supply.	11.95
	82-5722-RFX	N (M)	1W	Mfg. Amphenol RoHS	(1-9) 5.95 (10-24) 5.50 (25-99) 5.25
	R40451250	N (M)	1W	Mfg. Radiall (Moto 5882106P01) Limited Supply.	8.95
	202110	N (M)	1W	Mfg. APL/Connex	(1-9) 7.50 (10-24) 6.95 (25-99) 6.50



Please visit our Used Equipment section at:

WWW.RFPARTS.COM

2 Watt Dummy Loads

2 Watt					
Photo	Part Number	Conn.	Power	Mfg./Notes	Price Ea.
BNC					
	H8225	BNC (M)	Cont: 2W Inter: 1KW		3.95
SMA					
	3004M	SMA (M)	2W	Mfg. Aeroflex DC-18 GHz	(1-9) 22.95 (10-24) 21.95 (25-99) 20.95
TNC					
	3206TNCM	TNC (M)	2W	Mfg. Aeroflex DC-6 GHz	(1-9) 12.95 (10-24) 11.95 (25-99) 10.95
7/16 DIN					
	65-716-50-0-2	716 DIN (M)	2W	Mfg. Huber Suhner DC-4 GHz Limited Supply	39.95
Type-N					
	202109-10	N (M)	2W	Mfg. APL/Connex High Performance	(1-9) 5.50 (10-24) 5.25 (25-99) 4.95
	401-1F3	N (M)	2W	Mfg. by MECA DC-3 GHz Clean - Used	(1-9) 12.95 (10-24) 11.95 (25-99) 10.95
	3202NM	N (M)	2W	Mfg. Aeroflex DC-2.5 GHz	(1-9) 13.95 (10-24) 13.50 (25-99) 12.95
	3070M	N (M)	2W	Mfg. Aeroflex DC-18 GHz	(1-9) 32.95 (10-24) 31.95 (25-99) 30.95

5 Watt Dummy Loads

5 Watt					
Photo	Part Number	Conn.	Power	Mfg./Notes	Price Ea.
Type-N					
	T185ES	N (M)	5W	Mfg. by KDI DC-18 GHz	46.95
	370BNM	N (M)	5W	Mfg. Narda DC-18 GHz	(1-9) 56.95 (10-up) 52.95
	370BNM-1 Limited Supply	N (M)	5W	Mfg. Narda DC-18 GHz Clean - Used	37.95
	405-1 Limited Supply	N (M)	5W	Mfg. MECA DC-3 GHz Clean - Used	34.95
	TN060M-5W	N (M)	5W	Mfg. Aeroflex DC-6 GHz	54.95
SMA					
	TS060M-5W	SMA (M)	5W	Mfg. Aeroflex DC-6 GHz	39.95
7/16 DIN					
	TD020M-5E	716 DIN (M)	5W	Mfg. Aeroflex DC-2.5 GHz	42.95



Please visit our Used Equipment section at:

WWW.RFPARTS.COM

DUMMY LOADS

15-50 Watt Dummy Loads

15 Watt

Photo	Part Number	Conn.	Power	Mfg./Notes	Price Ea.
-------	-------------	-------	-------	------------	-----------

SMA



465-1 SMA (M) 15W Mfg. by MECA. **Limited Supply.** 79.95

Type-N



DL30N N (M) 15W Mfg. by Diamond DC-500 MHz 44.95

UHF



DL30A UHF (M) (PL-259) 15W Mfg. by Diamond DC-500 MHz 44.95

27 W

Photo	Part Number	Conn.	Power	Mfg./Notes	Price Ea.
-------	-------------	-------	-------	------------	-----------



A3RN27 Surface Mount Avg: 15W Peak: 1KW Mfg. KDI/Triangle Flange Termination **Limited Supply.** 9.95

50 W

Photo	Part Number	Conn.	Power	Mfg./Notes	Price Ea.
-------	-------------	-------	-------	------------	-----------

UHF




DA437U UHF (F) 50W Mfg. RLC Electr. DC-1 GHz New Stock NSN: 5985-00-089-8990 \$ 69.95 **SPECIAL**

Type-N



DB50W-NM N (M) 50W Mfg. DB Products Used, clean pullouts, tested. **Limited Supply.** \$39.95



DA437N N (F) 50W Mfg. RLC Electr. DC-1 GHz New Stock NSN: 5985-00-089-8990 \$ 69.95 **SPECIAL**

100-300 Watt Dummy Loads

100 W

Photo	Part Number	Conn.	Power	Notes	Price Ea.
-------	-------------	-------	-------	-------	-----------



DB4303B N (M) 100W Mfg. Decibal DC-1 GHz Removed from working equipment, tested. **Limited Supply.** \$ 69.95



DB4303G N (M) 100W Mfg. Decibal DC-1 GHz Removed from working equipment, tested. **Limited Supply.** 69.95



RFT100NFE N (F) 100W DC-2 GHz 99.95



DB4333B N (M) 100W 850-900 MHz **Limited Supply.** 79.95



T44004 N (F) 100W DC-1 GHz, 1:10:1 DC-4 GHz, 1:25:1 Motorola #: 58B834641R01 79.95 Clean, used. Removed from equipment, 100% tested.

120 W

Photo	Part Number	Conn.	Power	Mfg./Notes	Price Ea.
-------	-------------	-------	-------	------------	-----------



T50R0-120-3C Surface Mount 120W (INPUT POWER) Mfg. Barry Industries DC-6.6 GHz (1-9) 17.50 Surface Mount Termination (10-up) 15.95

150 W


Photo	Part Number	Conn.	Power	Mfg./Notes	Price Ea.
-------	-------------	-------	-------	------------	-----------



A3RRC4 Surface Mount 150W Mfg. Aeroflex/KDI DC-3 GHz Surface Mount Termination 9.95

300 W

Photo	Part Number	Conn.	Power	Mfg./Notes	Price Ea.
-------	-------------	-------	-------	------------	-----------



DL300 Type-N (F), 300W We removed these beautiful 50Ω loads from new 900 MHz Cellwave® combiner assemblies. VSWR measures less than 1.05 @ 1.3 GHz. Rated 300W continuous. Bottom of heatsink is tapped with mounting screws. ~~\$225.00~~ **SPECIAL** \$189.00

DUMMY LOADS: 15 Watt up to 300 Watt Loads

RF Coaxial Terminations: Dry Loads



Model Series	Power Rating	Conn.	Frequency Max VSWR	Nominal Size	Price
4010	10w	N (F)	DC-1 GHz @ 1.10 1 GHz - 4 GHz @ 1.25	1.25"SQ x 2.75"L	\$122.00
4025	25w	N (F)	DC-1 GHz @ 1.10 1 GHz - 4 GHz @ 1.25	1.5"SQ x 4.19"L	154.00
4050	50w	N (F)	DC-1 GHz @ 1.10 1 GHz - 4 GHz @ 1.25	2"SQ x 4.19"L	176.00
4100	100w	N (F)	DC-1 GHz @ 1.10 1 GHz - 2.4 GHz @ 1.25	4"SQ x 5.29"L	249.00
4150	150w	N (F)	DC-1 GHz @ 1.10 1 GHz - 2.4 GHz @ 1.25	4"SQ x 6.93"L	292.00
4160	250w	N (F)	DC-1 GHz @ 1.15 1 GHz - 2.4 GHz @ 1.35	4.25"SQ x 9.88"L	419.00
4170	500w	N (F)	DC-1 GHz @ 1.15 1 GHz - 2.4 GHz @ 1.35	6.75" x 6" x 16"L	734.00


Ambient air temperatures for CW power ratings are -40°C to +45°C.

RF Coaxial Terminations: Oil Dielectric Loads



Model	Con. Pwr Rating	Connectors Supplied / Optional	Frequency Max VSWR	Nom. Size LxHxW (in.) Weight	Price
84005-N	500W	N (F) / QC	1.10:1 DC-1.0 GHz	16.13 x 6.63 x 9.00 22 lbs.	\$624.00
84006-N	600W	N (F) / QC	1.10:1 DC-1.0 GHz	16.13 x 6.63 x 9.00 23 lbs.	708.00
84010-N	1000W	N (F) / QC	1.10:1 DC-1.0 GHz	16.19 x 6.63 x 9.00 25 lbs.	902.00
84015-N	1500W	N (F) / QC	1.10:1 DC-1.0 GHz	15.85 x 7.38 x 13.63 40 lbs.	1125.00

Call us for Loads with power ratings to 10KW.



Model Series	Power Rating	Conn.	Frequency Max VSWR	Nominal Size	Price
10-T	10w @ 40°C 12w @ 25°C	BNC, N, TNC	DC-1 GHz @ 1.10 1 GHz - 4 GHz @ 1.25	2"L x 2.3" Dia.	\$65.00
25-T	25w @ 40°C 30w @ 25°C	BNC, N, TNC	DC-1 GHz @ 1.10 1 GHz - 4 GHz @ 1.25	4.7"L x 2.3" Dia.	105.00
50-T	50w @ 40°C 60w @ 25°C	BNC, N, TNC	DC-1 GHz @ 1.10 1 GHz - 4 GHz @ 1.25	4.7"L x 2.3" Dia.	153.00
75-T	75w @ 40°C 90w @ 25°C	BNC, N, TNC, IEC 7/16	DC-1 GHz @ 1.10 1 GHz - 2.4 GHz @ 1.25	6.7"L x 2.3" Dia.	168.00
100-ST	100w @ 40°C 120w @ 25°C	BNC, N, TNC, IEC 7/16	DC-1 GHz @ 1.10 1 GHz - 2.4 GHz @ 1.25	6.85"L x 2.75" Dia.	237.00
150-ST	150w @ 40°C 180w @ 25°C	BNC, N, TNC, IEC 7/16	DC-1 GHz @ 1.10 1 GHz - 2.4 GHz @ 1.25	10.9"H x 2.6"W x 6.8" Dia.	305.00
300-T	300w @ 40°C 120w @ 25°C	BNC, N, TNC, IEC 7/16	DC-1 GHz @ 1.10 1 GHz - 2.4 GHz @ 1.25	11"H x 6"W x 7" Dia.	499.00
10-18T-MN *		N (M)	18GHz, 10W	2"L x 2.3" Dia.	100.00
25-18T-MN *		N (M)	18GHz, 25W	4.7"L x 2.3" Dia.	352.00
50-18T-MN *		N (M)	18GHz, 50W	4.7"L x 2.3" Dia.	403.00

* Special Order Item



Model	Con. Pwr Rating	Connectors Supplied / Optional	Frequency Max VSWR	Nom. Size LxHxW (in.) Weight	Price
8135	150w	N (F) / QC	DC-1 GHz @ 1.1 1 GHz-2.5 GHz @ 1.2 2.5 GHz-4 GHz @ 1.3	9.5 x 6.7 x 4 6 lbs.	\$488.00
8141	250w	N (F) / QC	DC-1 GHz @ 1.1 1 GHz-1.8 GHz @ 1.2 1.8 GHz-2.5 GHz @ 1.3	9.5 x 8.5 x 6 10 lbs.	562.00
8201	500w	N (F) / QC	1 GHz-2.5 GHz @ 1.25 DC-1 GHz @ 1.1	16.8x8.5x6 21 lbs.	676.00
8401	600w	N (F) / QC	DC-1 GHz @ 1.1 1 GHz-2.8 GHz @ 1.2 2.8 GHz-3 GHz @ 1.3	16.8x8.5x6 20 lbs.	727.00
8251	1kw	LC / QC	DC-1 GHz @ 1.1 1 GHz-2 GHz @ 1.25 2 GHz-2.5 GHz @ 1.3	17.9x8.5x6 25.5 lbs.	978.00

Call us for Loads with power ratings to 10KW.

Please call for availability. Optional QC connectors available. Horizontal operation only. All Bird oil-filled leads are non-PCB refined mineral oil.

DUMMY LOADS & ATTENUATORS



Aeroflex / Inmet designs and manufactures quality, economically priced, and RoHS compliant attenuators, terminations, adapters, DC blocks, bias tees and other components for commercial, military and lab applications, DC - 65 GHz. Fixed and adjustable gain equalizers operational to 40 GHz are also available for commercial and military applications.

Fixed Attenuators

Available in a wide selection of frequency ranges and power levels with attenuation values of 0 to 60 dB.

Terminations

Available in a wide selection of frequency ranges and power levels.

Coaxial Adapters

In Series and Between Series families available in a wide variety of connector types, including panel and flange mount.

Bias Tees

Available in frequencies up to 50 GHz with multiple connector configurations.

Power Dividers

Wilkinson & Broadband resistive models up to 26.5 GHz for dual channeled insertion loss measurements, calibration measurements, etc.

Please contact us with your requirements.

Short

N Male Short
Without Chain.

RoHS Compliant

Part #: PE6022
Price: \$8.95 ea.



We've Got Loads!

RF Parts Company carries a wide selection of new, used & surplus loads. Contact us today with your requirements, or visit our website at:

www.rfparts.com



Many
Used Loads
Available!

Please visit our Used Equipment section at:

WWW.RFPARTS.COM

Fixed Attenuators


SMA

Photo	Part Number	Conn.	VSWR	dB	Freq.	Price Ea.
-------	-------------	-------	------	----	-------	-----------

2 W

	6B-40	M-F	2 W	40	DC-6 GHz	\$37.95
---	-------	-----	-----	----	----------	---------

MODEL B

	AHC-30	M-F	2 W	30	DC-6 GHz	17.95
---	--------	-----	-----	----	----------	-------

	AHC-20	M-F	2 W	20	DC-6 GHz	15.95
--	--------	-----	-----	----	----------	-------


	AHC-10	M-F	2 W	10	DC-6 GHz	15.95
--	--------	-----	-----	----	----------	-------

	AHC-6	M-F	2 W	6	DC-6 GHz	15.95
--	-------	-----	-----	---	----------	-------

	AHC-3	M-F	2 W	3	DC-6 GHz	15.95
--	-------	-----	-----	---	----------	-------

MODEL AHC * AHC SERIES ALSO AVAIL. IN 1-10, 12 AND 15 dB

5 W

	18B5W-30	M-F	5 W	30	DC-18 GHz	48.95
---	----------	-----	-----	----	-----------	-------


	18B5W-20	M-F	5 W	20	DC-18 GHz	48.95
--	----------	-----	-----	----	-----------	-------

	18B5W-10	M-F	5 W	10	DC-18 GHz	48.95
--	----------	-----	-----	----	-----------	-------

	18B5W-3	M-F	5 W	3	DC-18 GHz	48.95
--	---------	-----	-----	---	-----------	-------

MODEL B * 18B5 SERIES ALSO AVAIL. IN 1-10, 12, 15 AND 40 dB

10 W

	18B10W-30	M-F	10 W	30	DC-18 GHz	82.95
--	-----------	-----	------	----	-----------	-------


	18B10W-20	M-F	10 W	20	DC-18 GHz	82.95
--	-----------	-----	------	----	-----------	-------

	18B10W-10	M-F	10 W	10	DC-18 GHz	82.95
--	-----------	-----	------	----	-----------	-------

	18B10W-3	M-F	10 W	3	DC-18 GHz	82.95
--	----------	-----	------	---	-----------	-------

MODEL B * 18B10 SERIES ALSO AVAIL. IN 1-10, 12 AND 40 dB

25 W

	18B25W-30	M-F	25 W	30	DC-18 GHz	129.95
---	-----------	-----	------	----	-----------	--------


	18B25W-10	M-F	25 W	10	DC-18 GHz	129.95
--	-----------	-----	------	----	-----------	--------

MODEL B * 18B25 SERIES ALSO AVAIL. IN 3, 6, 20 AND 40 dB

BNC


Photo	Part Number	Conn.	VSWR	dB	Freq.	Price Ea.
-------	-------------	-------	------	----	-------	-----------

2 W


	9033-20	M-F	2 W	20	DC-4 GHz	29.95
---	---------	-----	-----	----	----------	-------

	9033-10	M-F	2 W	10	DC-4 GHz	29.95
--	---------	-----	-----	----	----------	-------

AEROFLEX Model B
Nominal Length: 1.21"




AEROFLEX Model AHC
Nominal Length: 0.86"



AEROFLEX Model N
Nominal Length: 1.21"



N Series
Nominal Length: 2.50"



TYPE-N

Photo	Part Number	Conn.	Power	dB	Freq.	Price Ea.
-------	-------------	-------	-------	----	-------	-----------

1 W


	50F-002N	M-F	1 W	2	DC-2.2 GHz	\$14.95
---	----------	-----	-----	---	------------	---------

	50F-003N	M-F	1 W	3	DC-2.2 GHz	14.95
--	----------	-----	-----	---	------------	-------

N SERIES

	50F-004N	M-F	1 W	4	DC-2.2 GHz	14.95
--	----------	-----	-----	---	------------	-------

2 W

	9070-40	M-F	2 W	40	DC-6 GHz	24.95
---	---------	-----	-----	----	----------	-------

	9070-30	M-F	2 W	30	DC-6 GHz	21.95
--	---------	-----	-----	----	----------	-------

	9070-20	M-F	2 W	20	DC-6 GHz	21.95
--	---------	-----	-----	----	----------	-------


	9070-10	M-F	2 W	10	DC-6 GHz	19.95
--	---------	-----	-----	----	----------	-------

	9070-6	M-F	2 W	6	DC-6 GHz	19.95
--	--------	-----	-----	---	----------	-------

	9070-3	M-F	2 W	3	DC-6 GHz	19.95
--	--------	-----	-----	---	----------	-------

MODEL N * 9070 SERIES ALSO AVAIL. IN 1-10, 12 AND 15 dB

5 W

	6N5W-30	M-F	5 W	30	DC-6 GHz	49.95
---	---------	-----	-----	----	----------	-------


	6N5W-20	M-F	5 W	20	DC-6 GHz	49.95
--	---------	-----	-----	----	----------	-------

	6N5W-10	M-F	5 W	10	DC-6 GHz	49.95
--	---------	-----	-----	----	----------	-------

	6N5W-3	M-F	5 W	3	DC-6 GHz	49.95
--	--------	-----	-----	---	----------	-------

MODEL N * 6N5W SERIES ALSO AVAIL. IN 1-12, 15 AND 40 dB

10 W

	6N10W-30	M-F	10 W	30	DC-6 GHz	82.95
--	----------	-----	------	----	----------	-------


	6N10W-20	M-F	10 W	20	DC-6 GHz	82.95
--	----------	-----	------	----	----------	-------

	6N10W-10	M-F	10 W	10	DC-6 GHz	82.95
--	----------	-----	------	----	----------	-------

	6N10W-3	M-F	10 W	3	DC-6 GHz	82.95
--	---------	-----	------	---	----------	-------

MODEL N * 6N10W SERIES ALSO AVAIL. IN 1-10, 12 AND 40 dB

25 W

	6N25W-30	M-F	25 W	30	DC-6 GHz	139.95
---	----------	-----	------	----	----------	--------

	6N25W-10	M-F	25 W	10	DC-6 GHz	139.95
--	----------	-----	------	----	----------	--------

MODEL N * 6N25W SERIES ALSO AVAIL. IN 3, 6, 20 AND 40 dB

	34-20-34	M-F	25W	20	DC-4GHz	99.95
---	----------	-----	-----	----	---------	-------

* AEROFLEX SERIES ATTENUATORS ARE ALSO AVAILABLE IN THE dB RATINGS AS LISTED. PLEASE CONTACT US WITH YOUR REQUIREMENTS, AS THEY ARE SPECIAL ORDER ITEMS.

ATTENUATORS

BIRD RF Coaxial Attenuator




Specifications

Power Rating: 100w continuous
 Frequency Range & VSWR: Input 1.1 max DC to 500 MHz
 Attenuation: 30dB
 Accuracy: ± 0.5 dB (±0.2 dB at 30, 100, 200, 300, 400 and 500 MHz when using calibration data)
 Ambient Temperature Range: -40° C to +45° C
 Connectors: QC type (Female N)
 Coolant: Refined Mineral Oil
 Operating Position: Horizontal only

Model #	CCS Power Rating	Net Weight	Nominal Dimensions	Price Ea.
8323	100W	11 lbs.	10 11/32" x 8 1/2" x 5 15/16"	\$295.00
8325 *	500W	25 lbs.	17 1/2" x 8 1/2" x 5 15/16"	Call

* Special Order Item

50Ω Toggle Switch Attenuator



Attenuation Range: 0-31 dB in 1 dB steps
 Frequency Range: DC - 1,000 MHz
 Attenuation steps: 1, 2, 4, 8, 16 dB
 Impedance: 50 Ohms
 VSWR maximum: 1.4:1 @ 1,000 MHz
 Power: 1 Watt average
 Insertion Loss: -1 dB max (switched all off)

Attenuation accuracy:
 ± .2 dB per step DC - 500 MHz
 ± .3 dB per step 501 - 1000 MHz

BNC male and female ports

Part # RFA-4056-03
Price \$389.95

Rotary Attenuators

Part #	Conn.	Power	dB	Freq.	Price
--------	-------	-------	----	-------	-------



50R-028	BNC (F)	2W Avg. 1KW Peak	0-1 dB	DC-1 GHz	Limited Supply \$59.95
----------------	---------	---------------------	--------	----------	---------------------------

Step: 0.1 dB



Dual Concentric Rotary Attenuator

50DR-055	SMA (F)	2W	0-30 dB	DC-2 GHz	Limited Supply 139.95
-----------------	---------	----	---------	----------	--------------------------

Step: 0.1 dB



RA50BNC	BNC (F)	1W Avg. 750W Peak	0-10 dB	DC-2 GHz	Limited Supply 79.95
----------------	---------	----------------------	---------	----------	-------------------------

Step: 1 dB



50DR-046	SMA (F)	2W Avg.	0-50 dB	DC-2.5 GHz	Limited Supply 139.95
-----------------	---------	---------	---------	------------	--------------------------

Step: 1 dB

Find the Best Deals

by visiting the Used Equipment section on our website at:

www.rfparts.com