

Key to Manufacturers

AERO Aeroflex/Inmet
AMP Amp
ANDREW . . Andrew
APL Amphenol
APL/CON . . Amphenol Connex
APL/RF . . . Amphenol RF



CABLW Cablewave
CAMB Cambridge Products
DELTA Delta
ERI Electronics Research, Inc.
EFJ EF Johnson
FRPR Greenpar

Amphenol®**RF**

HHS HH Smith
ITTP ITT Pomona
KINGS Kings
MACOM . . . M/A-COM
PAN Panduit
PROD Prodelin

Amphenol®**Connex**

RAD Radiall
RFI RF Industries
RFP RF Parts Co.
RLINE Rigidline
SEAL Sealectro
SOL Solitron



SUHNER . . . Huber Suhner
TED Ted
TIMES Times Microwave
TRU Tru
USA Made in the U.S.A.



Cable Groups & Plating

Plating Key:

N Nickel
S Silver
G Gold
A Albaloy
SS Stainless Steel

Dielectric Key:

B Bakelite, Phen, Dap
D Delrin
P Polypropylene
T Teflon
LCP Liquic Crystal Polymer

Cable Groups:

217 RG217
218 RG218
B RG-174, 188, 188A, 316/U; Alpha 9174, 9136; Belden 8216; Times LMR-100A
B1 RG-316 Double Shield
C RG-58, 58A, 58C, 141, 141A; Belden 8219, 8240, 8259, 8262, 9201, 9203, 9310, 9311; Times LMR-195
C1 RG-55, 55A, 55B, 142, 142A, 142B, 223, 400/U; Alpha 9055, 9055B, 9223; Belden 8219, 9907
C2 Times LMR-200

D RG-59, 59A, 59B, 62, 62A, 62C/U; Alpha 9059, 9062, 9830, 9840, 9845; Belden 8221, 8241, 9169, 9204, 9228
E RG-8, 8A, 213/U; Alpha 9008, 9213; Belden 8267, 9251, 9880
F RG-9, 9A, 9B, 214/U; Alpha 9214; Belden 8242, 8268
I RG-8/U; Belden 9913; Times LMR-400, LMR-400 UltraFlex; T-COM-400
L2 Times LMR-600, LMR-600 UltraFlex; T-COM-600
PL Plenum
P Pro-Flex 800
Q RG6/U
S RG179, 179A, 187, 187A/U
X RG-8X; Belden 9258; Micro 8/U; Saxton 8315; Times LMR-240, LMR-240 UltraFlex
7E RG11
16 RG180, RG195, RG122

Low Loss ADAPTERS and CONNECTORS are the best quality available. Designed for lowest VSWR and loss.

CONTENTS

7/16-DIN	141	C	149
HN	140	UHF	144
TNC	148	Mini UHF	145
LC	141	Type-N	146
BNC	136	EIA Flange	138
FME	140	Caps with Chains	149
SMA	142	Precision Testing Adapters	150
Reverse Polarity	149	Adapter Kits, SMA & UNIDAPT . .	152-154

Coaxial Cable ADAPTERS

BNC Adapters

Note: Photos are for reference only.



31-208



RFB-1130
112461
UG274/U



M55339/17-00274



RFB-1132



RFB-1133
31-218



RFB-1135-I



RFB-1136
UG255A/U-1



RFB-1139



RFB-1143



RFB-1155



RFB-1732



RFB-1733



31-9
31-9S



3534



M55339

¹ Limited Supply ²Special Order Item

Part Number	Mfg.	Description	Notes	Body	Plating Pin	Die	1-9	Price Ea. 10-24	25-99
BNC MALE									
31-208	APL/RF	TO BNC FEMALE X2	INDUSTRIAL GRADE DOUBLE FEMALE T-ADAPTER	N	G	T	9.50	8.50	7.50
31-218	APL/RF	TO BNC MALE	INDUSTRIAL GRADE (UG491A/U)	N	S	T	7.95	7.50	7.25
31-9	APL/RF	TO BNC FEMALE	INDUSTRIAL GRADE (UG306/U)	N	S	T	10.50	9.95	9.25
31-9S	APL	TO BNC FEMALE	RIGHT ANGLE, SILVER PLATED	S	S	T	10.95	9.95	-
112461	APL/CON	TO BNC FEMALE X2	DOUBLE FEMALE T-ADAPTER	N	G	D	2.25	2.05	1.90
RFB-1130	RFI	TO BNC FEMALE X2	DOUBLE FEMALE T-ADAPTER	N	G	T	3.95	3.60	3.30
M55339/17-00274		TO BNC FEMALE X2	DOUBLE FEMALE T-ADAPTER MIL-SPEC 5935-00-926-7523	S	G	T	7.95	7.50	-
RFB-1132	RFI	TO BNC FEMALE	RIGHT ANGLE. (UG-306/U)	N	S	T	5.50	4.90	4.40
RFB-1133	RFI	TO BNC MALE	(AG-491/U, A/U, B/U)	N	G	D	4.45	3.80	3.50
RFB-1135-I	RFI	TO BNC FEMALE	BULKHEAD	S	G	D	6.25	5.75	5.20
RFB-1136	RFI	TO UHF FEMALE	(UG-255A/U)	N	G	D	4.95	4.35	3.95
RFB-1139	RFI	TO RCA FEMALE PHONO		N	G	D	2.85	2.55	2.30
RFB-1143	RFI	BNC MALE BULKHEAD		N	G	T	3.40	2.85	2.60
RFB-1155	RFI	TO F FEMALE					2.95	2.50	2.25
RFB-1732	RFI	TO BNC FEMALE, 75 OHM	RIGHT ANGLE	N	G	T	5.50	4.95	4.50
RFB-1733	RFI	TO BNC MALE, 75 OHM		N	G	T	4.75	4.25	3.85
UG255A/U-1 ¹		TO UHF FEMALE		N	S	T	3.25	3.10	2.95
UG274/U ¹		TO BNC FEMALE X2	DOUBLE FEMALE T-ADAPTER	S	S	T	7.95	7.25	-
329518 ¹		TO BNC FEMALE X2	DOUBLE FEMALE T-ADAPTER	N	S	T	4.50	3.95	-
3534 ¹		TO BNC FEMALE		N	G	T	7.95	6.95	6.50
M55339/49-00349		TO TYPE-N FEMALE	MIL-SPEC, NSN: 5935010956418	S	G	T	13.95	13.50	-

BNC Adapters

Note: Photos are for reference only.




¹ Limited Supply ²Special Order Item

Part Number	Mfg.	Description	Notes	Body	Plating Pin	Die	1-9	Price Ea. 10-24	25-99
BNC FEMALE									
31-219	APL/RF	TO BNC FEMALE	INDUSTRIAL GRADE (UG914/U)	N	S	T	5.25	4.95	4.25
31-220H	APL/RF	TO BNC FEMALE	BULKHEAD, INDUSTRIAL GRADE (UG492A/U) PRESSURIZED	N	S	T	7.95	7.50	6.75
112445	APL/CON	TO BNC FEMALE		N	G	D	1.85	1.70	1.55
112451	APL/CON	TO BNC MALE	RIGHT ANGLE	N	G	D	3.95	3.65	3.35
112455	APL/CON	TO BNC FEMALE X2	TRIPLE FEMALE T-ADAPTER	N	G	D	4.25	3.95	3.75
RFB-1131	RFI	TO BNC FEMALE X2	TRIPLE FEMALE T-ADAPTER	N	S	T	4.95	4.50	4.05
RFB-1134	RFI	TO BNC FEMALE	(UG-914/U)	N	S	D	2.50	2.30	2.10
RFB-1135-T	RFI	TO BNC FEMALE		N	G	T	4.75	4.25	3.85
RFB-1137	RFI	TO UHF MALE	(UG-273/U)	N	S	D	3.95	3.65	3.30
RFB-1140	RFI	TO RCA MALE		N	S	D	3.65	3.20	2.90
RFB-1141	RFI	TO PHONE PLUG	(HLN9756A)	N	G	T	4.95	4.40	4.00
RFB-1142	RFI	TO SMA FEMALE	UNIDEN/ JOHNSON SMR	N	G	T	3.95	3.60	3.25
RFB-1142-4	RFI	TO SMA (MOTOROLA) FEMALE	MOTOROLA CELLULAR	N	G	T	3.85	3.30	3.00
RFB-1144	RFI	TO F MALE		N	N	P	4.25	3.75	3.45
RFB-1145	RFI	TO 1/4 BY 32 STUD	TK240 & TK340	N	S	T	5.95	5.65	5.20
RFB-1734	RFI	TO BNC FEMALE, 75 OHM	(AMPHENOL 31-219-75)	N	G	T	3.95	3.45	3.15
UG492A/U ¹	APL	TO BNC FEMALE BULKHEAD	BULKHEAD	N	S	T	6.50	-	-
UG492D/U ¹	APL	TO BNC FEMALE BULKHEAD	INDUSTRIAL (AMPHENOL 031-3220)	S	G	T	7.45	6.75	-
UG914/U ¹	APL	TO BNC FEMALE	(31-219) INDUSTRIAL	S	S	T	4.25	3.65	-
APH-BNCJ-TNCJ	APL	TO TNC FEMALE	INDUSTRIAL	S	S	T	9.95	9.75	-
BNCFBNCFS11 ¹	PAN	TO BNC FEMALE		N	G	T	2.50	2.25	-
47025-1000	APL	TO BNC FEMALE	4-HOLE PANEL	S	S	T	14.95	13.95	-

Coaxial Cable ADAPTERS

EIA Flange Adapters

Note: Photos are for reference only.



NOT PICTURED: 101-058-1, 101-058-2, STD050-52, RLA050-16, 251-058-1, 201-058-2, RLA150-16, STD350-52, ACX050-10SE, ACX150-10SE

¹ Limited Supply ² Special Order Item ³ RLA Adapters come with Inner Connector and Hardware Kit.

Part Number	Mfg.	Description	Notes	1-9	Price Ea. 10-24	25-99
7/8" EIA FLANGE						
RLA050-NF	ERI	50 OHM REDUCER, 7/8" TO TYPE-N FEMALE. GAS TIGHT WITH PRESSURE PORT.	(2260B)	244.95	-	-
RLA050-LC	ERI	50 OHM REDUCER, 7/8" TO LC FEMALE. GAS TIGHT WITH PRESSURE PORT.	(2360A)	277.95	-	-
920241 ¹	CABLW	TO TYPE-N FEMALE	INCLUDES MOUNTING HARDWARE, INNER CONNECTOR AND HEATSHRINK.	205.00	-	-
101-058-1	MYAT	TO 7/16-DIN FEMALE	INCLUDES INNER CONNECTOR & HARDWARE KIT	299.95	-	-
101-058-2	MYAT	TO 7/16-DIN MALE	INCLUDES INNER CONNECTOR & HARDWARE KIT	299.95	-	-
STD050-52	ERI	7/8" MALE TO MALE ADAPTER, NO INNER CONNECTORS.	INCLUDES FLANGE HARDWARE KIT, 6" LENGTH. (243972)	219.95	-	-
RLA050-16	ERI	7/8", 50 OHM, HEAVY DUTY GAS BARRIER, PRESSURE PORT ON BOTH SIDES WITH FIXED MALE INNER CONNECTORS.	(1260A)	244.95	-	-
1-5/8" EIA FLANGE						
RLA150-NF	ERI	50 OHM REDUCER, 1-5/8" TO TYPE-N FEMALE, GAS TIGHT WITH PRESSURE PORT.	(2261A)	325.95	-	-
RLA150-LC	ERI	50 OHM REDUCER, 1-5/8" TO TYPE LC FEMALE, GAS TIGHT WITH PRESSURE PORT.	6" LENGTH. (2361A)	364.95	-	-
STD150-52	ERI	MALE TO MALE	6" LENGTH. (30452)	199.95	-	-
RLA150-80 ²	ERI	50 OHM, 1-5/8" END TERMINAL. GAS TIGHT WITH PRESSURE PORT.	(2061)	339.95	-	-
201-058-1	MYAT	TO 7/16-DIN FEMALE	INCLUDES INNER CONNECTOR & HARDWARE KIT	399.95	-	-
201-058-2	MYAT	TO 7/16-DIN MALE	INCLUDES INNER CONNECTOR & HARDWARE KIT	399.95	-	-
STD150-52	ERI	1-5/8" MALE TO MALE ADAPTER, NO INNER CONNECTORS.	INCLUDES FLANGE HARDWARE KIT, 6" LENGTH. (30452)			
RLA150-16	ERI	1-5/8", 50 OHM GAS BARRIER WITH SINGLE PRESSURE INLET PORT, WITH FIXED MALE INNER CONNECTORS ON BOTH ENDS.	(1261B)	369.95	-	-
3-1/8" EIA FLANGE						
RLA350-NF	ERI	50 OHM REDUCER, 3-1/8" TO TYPE-N FEMALE, GAS TIGHT WITH PRESSURE PORT.	(2262)	534.95	-	-
STD350-52	ERI	3-1/8" MALE TO MALE ADAPTER, NO INNER CONNECTORS.	INCLUDES FLANGE HARDWARE KIT, 6" LENGTH. (23187)	254.95	-	-
RLA350-80 ²		TO END TERMINAL		599.95	-	-
REDUCER ADAPTERS						
RLA150-050	ERI	50 OHM REDUCER, 1-5/8" TO 7/8". INCLUDES TWO INNER CONNECTORS, BOTH REMOVABLE.	(1860A)	279.95	-	-
RLA350-150	ERI	50 OHM PLATE REDUCER, 3-1/8" TO 1-5/8". INCLUDES TWO INNER CONNECTORS. 1-5/8" BULLET IS REMOVABLE AND MATES WITH CAPTIVATED 1-5/8" INNER CONNECTORS.	(1861)	392.00	-	-
RIGHT ANGLE ADAPTERS						
ACX050-10SE	ERI	7/8" EIA 90° MITER ELBOW, SWIVEL FLANGES	INCLUDES INNER CONNECTOR, "O" RING, SILICONE GREASE & HARDWARE KIT. (1060A)	249.95	-	-
1060A ¹	ANDREW	7/8" TO 7/8" EIA	RIGHT ANGLE. CLEAN - USED	185.00	-	-
494-815 ¹	PROD	7/8" TO 7/8" EIA	RIGHT ANGLE	185.00	-	-
ACX150-10SE	ERI	1-5/8" EIA 90° MITER ELBOW, SWIVEL FLANGES	INCLUDES INNER CONNECTOR, "O" RING, SILICONE GREASE & HARDWARE KIT.	364.95	-	-

EIA Flange Adapters

Note: Photos are for reference only.



4850A
ACX050-20



Hardware Kit
RLA000-21



4851
(RLA150-151.5)



4852
(RLA350-51.5)



ACX350-20

¹ Limited Supply ² Special Order Item ³ RLA Adapters come with Inner Connector and Hardware Kit.

Part Number	Mfg.	Description	Notes	1-9	Price Ea. 10-24	25-99
7/8" EIA FLANGE - ACCESSORIES						
4850A ²	ERI	ADAPTER INNER CONNECTOR	50 OHM TO 51.5 OHM (RLA050-51.5)	399.95	-	-
ACX050-20		ADAPTER INNER CONNECTOR	STANDARD 50 OHM 7/8" EIA	29.95	-	-
RLA000-21		HARDWARE KIT FOR ONE FLANGE JOINT	INCLUDES NUTS, BOLTS, LOCKWASHERS, O-RING& SILICONE.	15.95	-	-
1-5/8" EIA FLANGE - ACCESSORIES						
4851 ²	ERI	ADAPTER INNER CONNECTOR	50 OHM TO 51.5 OHM (RLA150-51.5) 1-5/8 EIA	299.00	-	-
ACX150-20		ADAPTER INNER CONNECTOR	STANDARD 50 OHM 1-5/8 EIA	49.95	-	-
RLA100-21		HARDWARE KIT FOR ONE FLANGE JOINT	INCLUDES NUTS, BOLTS, LOCKWASHERS, O-RING& SILICONE.	17.95	-	-
3-1/8" EIA FLANGE - ACCESSORIES						
4852 ²	ERI	ADAPTER INNER CONNECTOR	50 OHM TO 51.5 OHM 3-1/8 EIA (RLA350-51.5)	389.95	-	-
ACX350-20		ADAPTER INNER CONNECTOR	STANDARD 50 OHM 3-1/8 EIA	92.50	-	-
RLA300-21		HARDWARE KIT FOR ONE FLANGE JOINT	INCLUDES NUTS, BOLTS, LOCKWASHERS, O-RING & SILICONE.	22.95	-	-

Coaxial Cable ADAPTERS

FME Adapters

Note: Photos are for reference only.



RFE-6105



RFE-6107



RFE-6108



RFE-6112



RFE-6150



RFE-6151



RFE-6152

¹ Limited Supply ²Special Order Item

Part Number	Mfg.	Description	Notes	Body	Plating Pin	Die	1-9	Price Ea. 10-24	25-99
FME MALE									
RFE-6105	RFI	TO MINI-UHF MALE		N	G	D	3.35	2.95	2.60
RFE-6107	RFI	TO TYPE-N MALE		N	G	T	6.95	6.75	6.50
RFE-6108	RFI	TO TNC MALE		N	G	T	3.75	3.35	3.00
RFE-6112	RFI	TO UHF MALE		N	G	T	5.85	5.70	4.75
RFE-6150	RFI	TO BNC FEMALE		N	G	T	3.95	3.75	3.35
RFE-6151	RFI	TO BNC MALE		N	G	T	4.50	3.80	3.45
FME FEMALE									
RFE-6152	RFI	TO MINI-UHF FEMALE		N	G	T	4.95	4.75	4.50

HN Adapters



PE9194



16100



229675-80

¹ Limited Supply ²Special Order Item

Part Number	Mfg.	Description	Notes	Body	Plating Pin	Die	1-9	Price Ea. 10-24	25-99
HN MALE									
UG309/U ¹		TO BNC FEMALE	NOS	S	S	T	59.95	-	-
PE9194		TO TYPE-N FEMALE		N	G	T	38.95	37.95	-
16050 ¹	APL	TY TYPE-N FEMALE	CLEAN - USED	N	G	T	35.00	-	-
KN-99-09 ¹	KINGS	TO TYPE-N FEMALE	CLEAN - USED	S	G	T	35.00	-	-
UG212C/U ¹		TO HN FEMALE	RIGHT ANGLE	S	G	T	39.50	-	-
HN FEMALE									
H3056-95 ¹		TO HN FEMALE	BULKHEAD	S	S	T	39.95	-	-
16100	APL	TO TYPE-N FEMALE	NSN 5935-01-014-0739	N	S	T	42.95	39.95	-
16075	APL	TO TYPE-N MALE	CLEAN - USED	N	G	T	35.00	-	-
229675-80		TO TYPE-N FEMALE	NSN 5935-01-014-0739 MIL-SPEC	S	G	T	49.95	47.95	-

LC Adapters

Note: Photos are for reference only.



UG216B/U-P



UG999A/U



UG999A/U-P



TRU9031GNT

¹ Limited Supply ²Special Order Item

Part Number	Mfg.	Description	Notes	Body	Plating Pin	Die	1-9	Price Ea. 10-24	25-99
LC MALE									
TRU4914 ¹	TRU	TO LC MALE	CLEAN - USED	N	G	T	159.95	-	-
UG216B/U-P ¹		TO LC FEMALE	RIGHT ANGLE, USED	S	S	T	129.95	-	-
UG999A/U ¹	TRU	TO TYPE-N FEMALE		S	S	T	129.95	-	-
UG999A/U-P ¹		TO TYPE-N FEMALE	CLEAN - USED	N	S	T	105.00	-	-
LC FEMALE									
UG215/U ¹		TO LC FEMALE		S	S	T	99.95	-	-
UG217/U ¹		TO HN FEMALE		S	S	T	119.95	-	-
UG259A/U ¹		TO HN FEMALE	4-HOLE CHASSIS MOUNT CLEAN - USED	S	S	T	99.95	-	-
TRU9031GNT		TO LC FEMALE	PUSH-ON, 4-HOLE CHASSIS MT.	N	S	T	59.95	-	-

7/16 DIN Adapters



242136



RFD-1650-2



RFD-1660-2



RFD-1652-2



RFD-1670-2



RFD-1671-2



RFD-1653-2



RFD-1658-2



RFD-1672-2



RFD-1673-2

¹ Limited Supply ²Special Order Item

Part Number	Mfg.	Description	Notes	Body	Plating Pin	Die	1-9	Price Ea. 10-24	25-99
7/16 DIN MALE									
242136	APL/CON	TO TYPE-N FEMALE		N	S	T	34.95	32.95	29.95
RFD-1650-2	RFI	TO 7/16 DIN MALE		S	S	T	49.95	46.85	43.75
RFD-1660-2	RFI	TO 7/16 DIN FEMALE		S	S	T	54.95	45.95	-
RFD-1652-2	RFI	TO 7/16 DIN FEMALE	RIGHT ANGLE	S	S	T	79.95	72.95	-
RFD-1670-2	RFI	TO TYPE-N MALE		S	S	T	46.95	43.80	39.95
RFD-1671-2	RFI	TO TYPE-N FEMALE		S	S	T	43.95	38.95	36.95
7/16 DIN FEMALE									
RFD-1653-2	RFI	TO 7/16 DIN FEMALE		S	G	T	38.95	35.95	33.95
RFD-1658-2	RFI	TO 7/16 DIN FEMALE	RIGHT ANGLE	S	S	T	74.95	68.95	-
RFD-1672-2	RFI	TO TYPE-N MALE		S	S	T	49.95	45.95	41.75
RFD-1673-2	RFI	TO TYPE-N FEMALE		S	S	T	39.95	36.40	34.95

Coaxial Cable ADAPTERS

SMA Adapters

Note: Photos are for reference only.



NOT PICTURED: 132168

¹ Limited Supply ²Special Order Item

Part Number	Mfg.	Description	Notes	Body	Plating	Pin	Die	1-9	Price Ea. 10-24	25-99
SMA MALE										
132168	APL/CON	TO SMA MALE		G	G	T		4.95	4.50	4.15
RSA-3400	RFI	TO SMA FEMALE X2	DOUBLE FEMALE T-ADAPTER	G	G	T		5.95	5.20	4.70
RSA-3402	RFI	TO SMA FEMALE	RIGHT ANGLE	N	G	T		7.50	6.75	6.15
RSA-3402-1	RFI	TO SMA FEMALE	RIGHT ANGLE	G	G	T		7.95	7.45	7.25
RSA-3403-1	RFI	TO SMA MALE		G	G	T		6.95	6.10	5.50
RSA-3450	RFI	TO MINI-UHF FEMALE		N	G	T		5.95	5.30	4.80
RSA-3451	RFI	TO MINI-UHF MALE		N	G	T		4.95	4.65	4.25
RSA-3452	RFI	TO TYPE-N FEMALE		N	G	T		6.50	5.65	5.10
RSA-3453	RFI	TO TYPE-N MALE		N	G	T		7.50	6.95	6.45
RSA-3454	RFI	TO TNC MALE		N	G	T		5.25	4.75	4.50
RSA-3457	RFI	TO UHF FEMALE		N	G	T		6.95	6.25	5.95
RSA-3458	RFI	TO BNC FEMALE		N	G	T		5.45	4.75	4.50
RSA-3459	RFI	TO BNC MALE		N	G	T		6.85	6.25	5.95
SMA MALE, RIGHT ANGLE										
132172	APL/CON	TO SMA FEMALE	RIGHT ANGLE	G	G	T		6.75	6.45	5.95

See Page 151 for Precision Grade SMA Adapters.

SMA Adapters

Note: Photos are for reference only.



¹ Limited Supply ²Special Order Item

Part Number	Mfg.	Description	Notes	Plating			Price Ea.		
				Body	Pin	Die	1-9	10-24	25-99
SMA FEMALE									
901-9209-ASF	APL/RF	TO SMA FEMALE	BULKHEAD	G	G	T	11.95	11.25	10.95
132169	APL/CON	TO SMA FEMALE		G	G	T	3.75	3.45	3.15
132170	APL/CON	TO SMA FEMALE	BULKHEAD	G	G	T	5.95	5.45	4.95
132171	APL/CON	TO SMA MALE		G	G	T	4.95	4.75	4.35
242115	APL/CON	TO TYPE-N FEMALE		N	G	T	7.25	6.75	6.45
242105	APL/CON	TO TNC MALE		N	G	T	6.75	6.25	5.75
242109	APL/CON	TO UHF MALE		N	G	T	10.95	10.45	9.95
242117	APL/CON	TO MINI-UHF MALE		N	G	T	10.95	10.45	9.95
242103	APL/CON	TO BNC MALE		G	G	T	7.95	7.50	6.95
242113	APL/CON	TO TYPE-N MALE		N	G	T	6.95	6.45	5.95
RSA-3290-10	RFI	TO TYPE-N FEMALE	4-HOLE FLANGE ADAPTER	N	G	T	5.95	5.45	4.95
RSA-3404	RFI	TO SMA FEMALE		N	G	T	4.45	3.85	3.55
RSA-3408-1	RFI	TO MMCX PLUG		G	G	T	5.50	4.85	4.40
RSA-3410-1	RFI	TO SMA FEMALE	GOLD	G	G	T	7.95	7.40	6.70
RSA-3470	RFI	TO MINI-UHF MALE		N	G	T	3.75	3.45	3.25
RSA-3472	RFI	TO TNC MALE		N	G	T	5.85	5.25	4.65
RSA-3473	RFI	TO TNC FEMALE		N	G	T	5.50	4.95	4.45
RSA-3474	RFI	TO UHF MALE		N	G	T	6.95	6.30	5.70
RSA-3475	RFI	TO UHF FEMALE		N	G	T	6.75	6.00	5.50
RSA-3476	RFI	TO BNC MALE		N	G	T	5.95	5.45	4.75
RSA-3477	RFI	TO TYPE-N FEMALE		N	G	T	6.50	5.95	5.40
RSA-3477-03	RFI	TO TYPE-N FEMALE FEED THROUGH W/ GASKET	DOUBLE D-FLAT BULKHEAD	N	G	T	9.95	9.25	8.60
RSA-3478	RFI	TO TYPE-N MALE		N	G	T	8.50	7.70	6.95
34SMA-50-0-51	HUBER	TO SMA FEMALE	BULKHEAD	N	G	T	5.95	5.45	4.95

See Page 151 for Precision Grade SMA Adapters.

Coaxial Cable ADAPTERS

UHF Adapters

Note: Photos are for reference only.



RFU-532
RFU-532-1
83-1AP



RFU-533
M358N
M358
M358-1



RFU-534



RFU-536



RFU-537



RFU-538
PL259X2



83-877

¹ Limited Supply ² Special Order Item

Part Number	Mfg.	Description	Notes	Body	Plating	Die	1-9	Price Ea. 10-24	25-99
UHF MALE									
83-1AP	APL/RF	TO UHF FEMALE	RIGHT ANGLE	N	S	D	13.50	12.75	10.50
RFU-532	RFI	TO UHF FEMALE	RIGHT ANGLE (UG-646/U)	N	S	D	4.95	4.65	4.35
RFU-532-1 ¹	RFI	TO UHF FEMALE	RIGHT ANGLE	N	S	D	4.50	-	-
RFU-533	RFI	TO UHF FEMALE X2	DOUBLE FEMALE T-ADAPTER	N	S	D	6.95	6.50	5.95
RFU-538	RFI	TO UHF MALE	DM	N	S	T	4.65	3.95	3.65
M358N	APL	TO UHF FEMALE X2	DOUBLE FEMALE T-ADAPTER	N	S	B	7.95	-	-
PL259X2		TO UHF MALE	300 W MAX.	N	N	B	2.95	2.55	2.35
UG273/U ¹	APL	TO BNC FEMALE		N	S	T	10.95	9.95	-
UG273/U-S ¹		TO BNC FEMALE		S	D	G	11.95	-	-
83-877	APL	TO UHF MALE BARREL	(554-90)	N	N	D	18.95	-	-
M358 ¹	APL	TO UHF FEMALE X2	DOUBLE FEMALE T-ADAPTER	S	S	D	9.95	9.50	-
M358-1 ¹		TO UHF FEMALE X2	DOUBLE FEMALE T-ADAPTER	S	S	D	6.95	6.75	-
M359A ¹	APL	TO UHF FEMALE, RIGHT ANGLE	NOS	S	S	D	6.95	-	-
M359A-P ¹ 	APL	TO UHF FEMALE, RIGHT ANGLE	CLEAN - USED/NOS	S	S	D	1.25	-	-

UHF Adapters

Note: Photos are for reference only.



RFU-534



RFU-536
182109, 83-1J



RFU-537



RFP-518-2, -4, -6, -8

¹ Limited Supply ²Special Order Item

Part Number	Mfg.	Description	Notes	Plating			Price Ea.		
				Body	Pin	Die	1-9	10-24	25-99
UHF FEMALE									
182109	APL/CON	TO UHF FEMALE	TEFLON	N	G	T	4.45	3.95	3.75
RFU-534	RFI	TO UHF FEMALE X2	TRIPLE FEMALE T-ADAPTER	N	S	D	5.95	5.65	5.35
RFU-536	RFI	TO UHF FEMALE	(PL-258)	N	S	DAP	2.45	2.15	1.95
RFP-518-2	RFP	UHF FEMALE X2	BULKHEAD, 1.75"	N	G	T	3.00	-	-
RFP-518-4	RFP	UHF FEMALE X2	BULKHEAD, 4"	N	G	T	7.00	-	-
RFP-518-6	RFP	UHF FEMALE X2	BULKHEAD, 6"	N	G	T	10.00	-	-
RFP-518-8	RFP	UHF FEMALE X2	BULKHEAD, 8"	N	G	T	12.00	-	-
RFP-518-NUT	RFP	NUT FOR RFP-518 SERIES	OVERSIZE, 1" DIA.	-	-	-	1.50	-	-
RFU-537	RFI	TO UHF FEMALE	2" LENGTH. (UG-363/U)	N	S	D	4.50	4.05	3.70
UHF536		TO UHF FEMALE		N	S	D	2.35	2.05	1.85
MAX530		TO UHF MALE	PUSH-ON	N	S	T	3.00	2.75	-
UG255/U ¹	APL	TO BNC MALE		N	S	T	9.95	8.95	-
412 ¹		TO UHF FEMALE X2	TRIPLE FEMALE T-ADAPTER	N	S	T	3.00	2.85	-
83-5SPA	APL	TO UHF MALE	PUSH-ON	N	S	D	5.95	5.50	-
83-1J	APL	TO UHF FEMALE	(PL-258)	N	S	D	9.95	9.25	8.75
G40004HBN ¹	GRPR	TO UHF FEMALE	4-HOLE FLANGE MOUNT	N	S	T	3.95	3.75	-
UG225A/U-1 		TO BNC MALE		N	S	D	3.25	3.10	2.95

Mini UHF Adapters



RFU-620



RFU-621



RFU-622



RFU-623



RFU-625



RFU-626



RFU-627



RFU-628



RFU-629



RFU-642



RFU-645

Part Number	Mfg.	Description	Notes	Body	Plating Pin	Die	Price Ea.		
							1-9	10-24	25-99
MINI-UHF MALE									
RFU-620	RFI	TO TYPE-N FEMALE	MOTOROLA 5880367B21	N	G	T	5.50	5.00	4.55
RFU-621	RFI	TO UHF FEMALE	MOTOROLA 5880367B22	N	G	T	4.95	4.70	4.25
RFU-622	RFI	TO BNC FEMALE	MOTOROLA 5880367B23	N	G	T	3.55	2.95	2.65
RFU-623	RFI	TO TNC FEMALE	MOTOROLA 5880367B24	N	G	T	4.75	4.10	3.70
RFU-645	RFI	TO UHF MALE		N	S	D	3.75	3.45	3.10
MINI-UHF FEMALE									
RFU-625	RFI	TO TYPE-N MALE	MOTOROLA 5880367B26	N	G	T	5.95	5.30	4.80
RFU-626	RFI	TO UHF MALE	MOTOROLA 5880367B27	N	G	T	5.85	5.15	4.65
RFU-627	RFI	TO BNC MALE	MOTOROLA 5880367B28	N	G	T	5.75	5.05	4.65
RFU-628	RFI	TO TNC MALE	MOTOROLA 5880367B29	N	G	T	4.95	4.50	4.05
RFU-629	RFI	TO UHF FEMALE	MOTOROLA 5880367B30	N	G	T	4.75	4.15	3.75
RFU-642	RFI	TO SMA FEMALE	MOTOROLA CELLULAR	N	G	T	6.50	5.70	5.15

Coaxial Cable ADAPTERS

Type N Adapters

Note: Photos are for reference only.



RFN-1014-1
82-100
172122



RFN-1035-1
242153



RFN-1037-1



RFN-1040-1
242121



CA-PNMDM



50896



UG27D/U, -N, -S, -P



UG27A/U, -P



M55339/03-00027

¹ Limited Supply ²Special Order Item

Part Number	Mfg.	Description	Notes	Body	Plating	Pin	Die	1-9	Price Ea. 10-24	25-99
TYPE-N MALE										
82-100	APL/RF	TO TYPE-N MALE	(UG57B/U) INDUSTRIAL	S	S	T		12.95	11.95	10.95
82-64-RFX	APL/RF	TO TYPE-N FEMALE	RIGHT ANGLE	N	G	T		11.95	10.95	10.45
172125	APL/CON	TO TYPE-N FEMALE X2	DOUBLE FEMALE T-ADAPTER	N	G	T		8.95	8.45	7.95
172122	APL/CON	TO TYPE-N MALE		N	G	T		6.95	6.45	5.95
242155	APL/CON	TO UHF FEMALE		N	G	T		10.95	10.45	9.95
242121	APL/CON	TO BNC MALE		N	G	T		10.95	10.45	9.95
RFN-1014-1	RFI	TO TYPE-N MALE	BARREL. (UG-57B/U)	S	G	T		8.95	7.90	7.15
RFN-1035-1	RFI	TO UHF FEMALE	(UG-146/U)	S	G	T		6.95	6.20	5.60
RFN-1037-1	RFI	TO BNC FEMALE	(UG-201A/U)	S	G	T		6.95	5.90	5.35
RFN-1040-1	RFI	TO BNC MALE	(UG-1034/U)	S	G	T		6.95	6.05	5.50
CA-PNMDM	ANDREW	TO 7/16 DIN MALE		N	S	T		49.95	-	-
10804-9 ¹	ANDREW	TO TYPE-N MALE	(UG572B)	N	G	T		9.95	-	-
50896 ¹		TO TYPE-N FEMALE	RIGHT ANGLE	N	G	T		8.75	-	-
UG27D/U ¹		TO TYPE-N FEMALE	RIGHT ANGLE	N	S	T		19.95	18.95	-
UG27D/U-N		TO TYPE-N FEMALE	RIGHT ANGLE	N	G	T		10.95	9.95	-
UG27D/U-S	KINGS	TO TYPE-N FEMALE	RIGHT ANGLE	S	G	T		12.95	11.95	-
UG27D/U-P		TO TYPE-N FEMALE	RIGHT ANGLE, CLEAN - USED	N	G	T		7.95	-	-
UG27A/U ¹	APL	TO TYPE-N FEMALE	RIGHT ANGLE. (82-213)	N	S	T		14.95	-	-
UG27A/U-P	APL	TO TYPE-N FEMALE	RIGHT ANGLE. (82-213) CLEAN - USED	N	S	T		7.95	-	-
UG30D/U ¹		TO TYPE-N FEMALE	BULKHEAD	N	G	T		8.95	8.50	-
M55339/03-00027	DELTA	TO TYPE-N FEMALE	RIGHT ANGLE, MILSPEC NSN: 5935009044050	S	G	T		15.95	15.50	-
UG107A/U	APL	TO TYPE-N FEMALE X2	DOUBLE FEMALE T-ADAPTER	S	S	T		12.95	-	-
UG201A/U ¹	COMP/ENT	TO BNC FEMALE	NSN: 5935010146496	N	G	T		9.95	8.90	7.95
82-5558 ¹	APL	TO BNC FEMALE		S	G	T		13.95	-	-
325		TO TYPE-F FEMALE		N	S	T		3.95	3.50	3.25

Type N Adapters

Note: Photos are for reference only.



¹ Limited Supply ²Special Order Item

Part Number	Mfg.	Description	Notes	Body	Plating	Pin	Die	1-9	Price Ea. 10-24	25-99
TYPE-N FEMALE										
82-101	APL/RF	TO TYPE-N FEMALE	(UG-29/B) INDUSTRIAL	N	S	T		14.95	13.95	12.95
82-101-RFX	APL/RF	TO TYPE-N FEMALE	BARREL, COMMERCIAL	N	G	T		4.95	4.75	4.50
82-66-RFX	APL/RF	TO TYPE-N FEMALE	BULKHEAD, NICKEL	N	G	T		4.95	4.65	4.35
172123	APL/CON	TO TYPE-N FEMALE		N	G	T		4.95	4.65	4.25
172123-10	APL/CON	TO TYPE-N FEMALE	FULL THREAD 1.75"	N	G	T		6.95	6.45	5.95
172124	APL/CON	TO TYPE-N FEMALE	BULKHEAD	N	G	T		5.95	5.45	4.95
172278	APL/CON	TO TYPE-N FEMALE	4-HOLE PANEL MOUNT	N	G	T		7.95	7.45	6.95
172127	APL/CON	TO TYPE-N FEMALE X2	TRIPLE FEMALE T-ADAPTER	N	G	T		9.95	9.60	9.35
172276	APL/CON	TO TYPE-N MALE		N	G	T		7.95	7.50	7.25
172126	APL/CON	TO TYPE-N MALE	RIGHT ANGLE	N	G	T		7.95	7.45	6.95
242101	APL/CON	TO BNC MALE		N	G	T		10.95	10.45	9.95
242131	APL/CON	TO TNC MALE		N	G	T		7.25	6.75	6.45
242152	APL/CON	TO TYPE-F MALE		S	G	T		10.95	10.45	9.95
RFN-1010-1	RFI	TO TYPE-N FEMALE X2	TRIPLE FEMALE T-ADAPTER	S	G	T		9.35	8.95	8.50
RFN-1011-1	RFI	TO TYPE-N FEMALE X2	TRIPLE FEMALE T-ADAPTER (UG28A)	S	G	T		9.35	8.95	8.50
RFN-1012-1	RFI	TO TYPE-N MALE	RIGHT ANGLE (UG-27A/U)	S	G	T		9.95	8.95	8.50
RFN-1013-1	RFI	TO TYPE-N FEMALE	(UG-29B/U)	S	G	T		6.85	5.70	5.20
RFN-1023	RFI	TO TYPE-N FEMALE	BULKHEAD W/ DOUBLE D-FLAT (UG-30/U)	S	S	T		7.95	6.90	6.50
RFN-1023-5	RFI	TO BNC FEMALE	BULKHEAD (UG-606/U)	N	G	T		8.95	8.50	7.70
RFN-1034-1	RFI	TO UHF FEMALE	(UG-301/U)	S	G	T		5.65	4.70	4.25
RFN-1036-1	RFI	TO UHF MALE	(UG-83A/U)	S	G	T		6.00	5.00	4.55
RFN-1038-1	RFI	TO BNC MALE	(UG-349B/U)	S	G	T		6.95	5.80	5.25
RFN-1039-1	RFI	TO BNC FEMALE		S	G	T		5.95	5.45	4.95
31N-50-0-2	SUHNER	TO TYPE-N FEMALE		N	G	T		10.75	10.25	9.95
KN-99-34-M06	KINGS	TYPE-N FEMALE	BULKHEAD	N	S	T		9.95	9.50	-
UG606/U ¹		TO BNC FEMALE	BULKHEAD	S	S	T		12.95	-	-
PE9104 ¹		TO SMA FEMALE	4-HOLE PANEL MOUNT CLEAN - USED	N	S	T		32.95	-	-
RLA050-NF	ERI	TO 7/8" EIA	EIA ADAPTER					244.95	-	-
RLA150-NF	ERI	TO 1-5/8" EIA	EIA ADAPTER					325.95	-	-
RLA350-NF	ERI	TO 3-1/8" EIA	EIA ADAPTER					534.95	-	-
R191334000 ¹	RAD	TO SMA FEMALE	BULKHEAD W/ GASKET	N	G	T		19.95	18.95	-

Coaxial Cable ADAPTERS

TNC Adapters

Note: Photos are for reference only.



¹ Limited Supply ² Special Order Item ³ Max Panel Thickness

Part Number	Mfg.	Description	Notes	Body	Plating Pin	Die	1-9	Price Ea. 10-24	25-99
TNC MALE									
000-79700	APL/RF	TO TNC FEMALE X2	DOUBLE FEMALE T-ADAPTER	N	S	T	7.95	7.50	.
122350	APL/CON	TO TNC MALE		N	G	D	3.95	3.75	3.50
RFT-1224	RFI	TO TNC MALE		N	G	T	4.50	3.95	3.65
RFT-1231	RFI	TO BNC FEMALE		N	G	T	4.50	3.90	3.55
RFT-1234	RFI	TO TYPE-N FEMALE		N	G	T	6.50	5.70	5.15
RFT-1234-11	RFI	TO TYPE-N FEMALE	RIGHT ANGLE	N	S	T	7.95	7.50	6.95
RFT-1235	RFI	TO UHF FEMALE		N	G	T	4.95	4.30	3.90
TNC FEMALE									
122348	APL/CON	TO TNC FEMALE		N	G	D	2.75	2.45	1.95
122354	APL/CON	TO TNC FEMALE X2	TRIPLE FEMALE T-ADAPTER	N	G	DEL	5.95	5.50	4.95
122340	APL/CON	TO TNC FEMALE	BULKHEAD 3 8.0mm THICK	N	G	D	3.50	3.20	2.90
122342	APL/CON	TO TNC FEMALE	BULKHEAD 3 7.0mm THICK	N	G	D	4.25	3.75	3.35
122352	APL/CON	TO TNC MALE	RIGHT ANGLE	N	G	DEL	3.95	3.55	3.25
RFT-1225	RFI	TO TNC FEMALE		N	G	T	3.65	3.25	3.00
RFT-1226	RFI	TO TNC FEMALE	BULKHEAD	N	G	T	4.95	4.50	4.20
RFT-1227	RFI	TO TNC MALE	RIGHT ANGLE	N	G	T	5.95	5.45	5.20
RFT-1230	RFI	TO BNC MALE		N	G	T	3.95	3.75	3.45
RFT-1232	RFI	TO BNC FEMALE		N	G	T	4.50	3.90	3.55
RFT-1233	RFI	TO TYPE-N MALE		N	G	T	5.95	5.35	4.85
RFT-1236	RFI	TO UHF MALE		N	G	T	3.95	3.60	3.25
RFT-1239	RFI	TO TYPE-N FEMALE		N	G	T	4.95	4.65	4.25
RFT-1241-4	RFI	TO SMA FEMALE	MOTO	N	G	T	4.95	4.55	4.25
RFT-1241-6	RFI	TO SMA MALE		N	G	T	5.95	5.45	4.95



MAX8301

C Adapters

¹ Limited Supply ² Special Order Item

Part Number	Mfg.	Description	Notes	Plating			Price Ea.		
				Body	Pin	Die	1-9	10-24	25-99
C MALE									
MAX8301 ¹		TO TYPE-N FEMALE		S	S	T	8.95	-	-

Reverse Polarity (Gender) Adapters


Note: Photos are for reference only.



¹ Limited Supply ²Special Order Item

Part Number	Mfg.	Description	Notes	Plating			Price Ea.		
				Body	Pin	Die	1-9	10-24	25-99
REVERSE POLARITY									
RP1016	RFI	RP-TYPE-N MALE TO TYPE-N FEMALE		N	G	T	7.25	6.95	6.50
RP1223	RFI	RP-TNC MALE TO TNC FEMALE		N	G	T	5.75	5.40	4.95
RP1234	RFI	RP-TNC MALE TO TYPE-N FEMALE		N	G	T	6.50	5.85	5.35
RP3405	RFI	RP-SMA MALE TO SMA FEMALE		N	G	T	5.45	4.95	4.65
RP3405-1	RFI	RP-SMA MALE TO SMA FEMALE		G	G	T	4.95	4.65	4.25
RP3408-1	RFI	RP-SMA FEMALE TO MMCX MALE		G	G	T	5.75	5.45	4.95
RP3452	RFI	RP-SMA MALE TO TYPE-N FEMALE		N	G	T	6.95	6.50	6.25
RP3453	RFI	RP-SMA MALE TO TYPE-N MALE		N	G	T	6.95	6.60	6.25
RP3472	RFI	RP-SMA FEMALE TO RP-TNC MALE		N	G	T	4.95	4.65	4.35

Caps with Chains & Hoods



¹ Limited Supply ²Special Order Item

Part Number	Mfg.	Description	Notes	Plating			Price Ea.		
				Body	Pin	Die	1-9	10-24	25-99
CAPS WITH CHAINS									
31-6-RFX	APL/RF	BNC MALE CAP W/ CHAIN		N	-	-	1.95	1.75	1.65
83-1AC-RFX	APL/RF	UHF MALE CAP W/ CHAIN		N	-	-	1.95	1.75	1.60
202100	APL/CON	BNC MALE CAP W/ CHAIN		N	-	-	1.95	1.75	1.55
202101	APL/CON	TNC CAP W/ CHAIN		N	-	-	1.95	1.75	1.55
202102	APL/CON	TYPE-N CAP W/ CHAIN		N	-	-	1.95	1.75	1.55
202112-10	APL/CON	SMA MALE CAP W/ CHAIN		G	-	T	1.60	1.50	1.35
HOODS									
83-1H	APL/RF	4-HOLE FLANGE HOOD, ADAPTS PANEL RECEPTACLE RG8, 11, 213	UG106/U	N	-	-	5.95	5.75	5.65
83-1HP ¹	APL/RF	4-HOLE FLANGE HOOD, ADAPTS PANEL RECEPTACLE RG8, 11, 213	UG106/U	S	-	-	4.25	3.95	-

Coaxial Cable ADAPTERS

Precision Adapters

Designed for Low Insertion Loss/VSWR up to 26.5 GHz

Test grade adapters need to be rugged and versatile for use in lab or field applications. To meet this increasing need, RF Parts Company now carries a complete line of the most popular test adapters covering SMA and N-types. Precision machined passivated stainless steel construction for long life, repeated use and corrosion resistance. All adapters feature epoxy captivated components and are designed for outstanding electrical performance with low loss and guaranteed low VSWR to 18 GHz. N to SMA adapters are suitable for use with the Anritsu Site Master™ line of test equipment and other similar popular brands.

Note: Photos are for reference only.



Mechanical Specifications

Mating - 1/4-36UNS Threaded Coupling
Interface - MIL-STD-348a
Cabling - Solder

Plating

G - Gold
SS - Stainless Steel/
Passivated

Dielectric Material

T - Teflon

ADAPTERS: Precision Testing

Type-N In Series Precision Adapters



5003



5004



5005



5103



5104



5105

¹ Limited Supply ²Special Order Item

Part Number	Mfg.	Description	Freq.		Notes	Plating			Price Ea.	
			GHz	VSWR		Body	Pin	Die	1-9	10-UP
TYPE-N										
5003	AERO	FEMALE TO FEMALE	18	1.25:1		SS	G	T	33.95	32.95
5004	AERO	MALE TO MALE	18	1.25:1		SS	G	T	33.95	32.95
5005	AERO	MALE TO FEMALE	18	1.25:1		SS	G	T	33.95	32.95
5103	AERO	FEMALE TO FEMALE	18	1.12:1	PRECISION	SS	G	T	45.95	43.95
5104	AERO	MALE TO MALE	18	1.12:1	PRECISION	SS	G	T	45.95	43.95
5105	AERO	MALE TO FEMALE	18	1.12:1	PRECISION	SS	G	T	45.95	43.95


VSWR: 5103, 5104, 5105

DC-4 GHz	1.04.1 MAX
4-8 GHz	1.07.1 MAX
8-18 GHz	1.12.1 MAX

Precision Adapters

Note: Photos are for reference only.

SMA In Series Precision Adapters



P2RSA-3703



P2RSA-3704



P2RSA-3704-1



P2RSA-3705-1



5010



5020



5030



5163



5164



5165



5211

¹ Limited Supply ²Special Order Item

Part Number	Mfg.	Description	Freq. GHz	VSWR	Notes	Body	Plating Pin	Die	Price Ea. 1-9	Price Ea. 10-UP
SMA										
P2RSA-3703	RFP2	MALE TO MALE	18.0	<1.20:1	Test grade adapter suitable for lab or field applications.	SS	G	T	\$20.95	\$20.25
P2RSA-3704	RFP2	FEMALE TO FEMALE	18.0	1.20:1	Test grade adapter suitable for lab or field applications.	SS	G	T	13.95	13.50
P2RSA-3704-1	RFP2	FEMALE TO FEMALE, HEX CTR.	18.0	<1.20:1	Torque proof, test Grade adapter with hex center.	SS	G	T	14.95	14.50
P2RSA-3705-1	RFP2	MALE TO FEMALE, HEX CTR.	18.0	1.20:1	Torque Proof, test grade adapter with hex center.	SS	G	T	14.95	14.25
5010	AERO	FEMALE TO FEMALE	18	1.20:1		SS	G	T	10.95	9.95
5020	AERO	MALE TO MALE	18	1.20:1		SS	G	T	12.95	12.45
5030	AERO	MALE TO FEMALE	18	1.20:1		SS	G	T	13.95	13.45
5163	AERO	FEMALE TO FEMALE	26.5	1.20:1		SS	G	T	18.95	17.95
5164	AERO	MALE TO MALE	26.5	1.20:1		SS	G	T	19.95	19.45
5165	AERO	MALE TO FEMALE	26.5	1.20:1		SS	G	T	19.95	18.95
SMA, BULKHEAD										
5211	AERO	FEMALE TO FEMALE	18	1.15:1	FEEDTHRU WITH O-RING SEAL	SS	G	T	21.95	20.95

SMA Between Series Precision Adapters



P2RSA-3752



P2RSA-3753



P2RSA-3778



5106



5107



5108




5109

Part Number	Mfg.	Description	Freq. GHz	VSWR	Notes	Body	Plating Pin	Die	Price Ea. 1-9	Price Ea. 10-UP
SMA										
P2RSA-3752	RFP2	MALE TO TYPE-N FEMALE	18.0	1.20:1	Test grade adapter. 18GHz.	SS	G	T	23.95	23.50
P2RSA-3753	RFP2	MALE TO TYPE-N MALE	18.0	1.20:1	Test grade adapter; Rugged design, suitable for use on Anritsu Site Master.	SS	G	T	23.95	23.50
P2RSA-3778	RFP2	FEMALE TO TYPE-N MALE	18.0	1.20:1	Test grade adapter; Rugged design, suitable for use on Anritsu Site Master.	SS	G	T	23.95	23.50
P2RSA-3777	RFP2	FEMALE TO TYPE-N FEMALE	18.0	1.20:1	Test grade adapter; Rugged design, suitable for use on Anritsu Site Master.	SS	G	T	23.95	23.50
5106	AERO	MALE TO TYPE-N MALE	18	1.12:1	PRECISION	SS	G	T	52.95	51.95
5107	AERO	MALE TO TYPE-N FEMALE	18	1.12:1	PRECISION	SS	G	T	52.95	51.95
5108	AERO	FEMALE TO TYPE-N MALE	18	1.12:1	PRECISION	SS	G	T	52.95	51.95
5109	AERO	FEMALE TO TYPE-N FEMALE	18	1.12:1	PRECISION	SS	G	T	52.95	51.95

Coaxial Cable ADAPTERS

Technician's SMA Adapter Kit

Includes in-series and between-series adapters. Foam padded zipper case included.



13 Piece SMA Adapter KIT Contains:



RSA-3400	SMA-M to Double SMA-F	RSA-3457	UHF-F to SMA-M
RSA-3401	SMA TRIPLE-F	RSA-3458	BNC-F to SMA-M
RSA-3402	SMA-M to SMA-F, Right Angle	RSA-3472	TNC-M to SMA-F
RSA-3403	SMA-M to SMA-M	RSA-3476	BNC-M to SMA-F
RSA-3404	SMA-F to SMA-F	RSA-3478	N-M to SMA-F
RSA-3452	N-F to SMA-M	RFT-1241-6	TNC-F to SMA-M
RSA-3456	UHF-M to SMA-M		

Part #: RFA-4027 · Price: \$99.95

UNIDAPT® Kit



Create any inter-series adapter you need

Our Universal Adapter is the Key

Each UNIDAPT fitting has a common connector end and a universal adapter end. Simply choose the two common connector ends you need, and screw them together with the universal adapter. It's so easy. That's why technicians love it!

Our ingenious adapter kits let you mix and match any 2 male or female coaxial fittings. Build the perfect connector for the job - male to male, male to female, or female to female. The UNIDAPT connectors may be used on the BIRD wattmeters. See UNIDAPT wattmeter connector system.

All UNIDAPT sections are made of silver plated machined brass with a gold plated phosphor bronze contact anchored in a Teflon dielectric. Thirty pieces are stored in a padded, soft zippered carrying case.

30 PIECE UNIDAPT KIT CONTAINS:

2 - UHF-Male	2 - BNC-Male	2 - SMA-Male
2 - UHF-Female	2 - BNC-Female	2 - SMA-Female
2 - M-UHF Male	2 - N-Male	2 - TNC-Male
2 - M-UHF Female	2 - N-Female	2 - TNC-Female
6 - Universal Adapters	<i>Unidapt Connectors also available separately.</i>	

Part #: RFA-4024 · Price: \$129.95

RFA-4024-WB (White Bronze) · Price: \$139.95

Wi-Fi UNIDAPT® Kit

The RFA-4024-WIFI includes reverse polarity TNC, SMA, and MMCX male and female adapters.

Technicians and engineers can now work with popular WLAN equipment from prominent manufacturers such as Linksys, Cisco and others.

The universal adapter mates with all UNIDAPT® interface adapters, then mates with any other UNIDAPT® adapter.

Each adapter, when joined using one of the Universal Center Adapters with another adapter, creates any of the many possible adapter configurations. Any male to male, female to female, or male to female adapter you need is produced quickly and easily; simply mix or match the pieces to make your adapter.

30 PIECE Wi-Fi UNIDAPT KIT CONTAINS:

1 - MMCX-male	2 - Reverse Polarity SMA males
1 - MMCX-female	2 - Reverse Polarity SMA females
2 - N males	2 - Reverse Polarity TNC males
2 - N females	2 - Reverse Polarity TNC females
2 - TNC males	6 - Universal Centers
2 - SMA males	<i>Wi-Fi Unidapt Connectors also available separately.</i>

Part #: RFA-4024-WIFI · Price: \$159.95



Individual UNIDAPT® Connectors

UNIVERSAL UNIDAPT ADAPTER

Choose the two common connector ends you need, and screw them together with this universal adapter. It's easy!



PT-4000-013
UNIV. ADAPT.
\$3.95

Individual UNIDAPT Connectors



PT-4000-005
TNC-M
\$5.95



PT-4000-011
TNC-F
\$5.95



PT-4000-006
SMA-M
\$6.95



PT-4000-012
SMA-F
\$6.95



PT-4000-001
UHF-M
\$5.95



PT-4000-007
UHF-F
\$5.95



PT-4000-002
Mini UHF-M
\$5.95



PT-4000-008
Mini UHF-F
\$5.95



PT-4000-004
BNC-M
\$5.95



PT-4000-010
BNC-F
\$5.95



PT-4000-003
N-M
\$6.95



PT-4000-009
N-F
\$6.95

Individual CELLUDAPT Connectors



PT-4000-109
Nokia P4000
\$6.95



PT-4000-110
NEC P3/P4
\$6.95



PT-4000-112
FME-M Euro-Nipple
\$4.95



PT-4000-150
F-F
\$6.95



PT-4000-101
Motorola SMA-F
\$4.95



PT-4000-104
NEC 9A
\$4.95



PT-4000-108
OKI 900
\$6.95

Individual WI-FI UNIDAPT Connectors



PT-4000-117
MMCX-M
\$6.95



PT-4000-118
MMCX-F
\$5.95



PT-4000-133
RP-SMA-M
\$7.95



PT-4000-134
RP-SMA-F
\$5.95



PT-4000-135
RP-TNC-M
\$6.95



PT-4000-136
RP-TNC-F
\$5.95

Miscellaneous UNIDAPT Connectors



PT-4000-027
T-ADAPTER
\$12.95



PT-4000-113
SMB-M
\$6.95



PT-4000-114
SMB-F
\$6.95



PT-4000-150
F-F
\$6.95



PT-4000-014
RCA-M
\$6.95



PT-4000-015
RCA PHONO JACK
\$6.95



PT-4000-016
F-F
\$6.95



PT-4000-017
F-M
\$6.95



PT-4000-115
MCX-M
\$7.95



PT-4000-116
MCX-F
\$6.95



PT-4000-119
7/16 DIN-M
\$25.95



PT-4000-120
7/16 DIN-F
\$28.95



PT-4010-020
BINDING POST
\$28.95



PT-4010-021
BANANA PLUG
\$23.50



PT-4010-030
RG58/U
\$5.40



PT-4000-026
RIGHT ANGLE
\$9.50

Coaxial Cable ADAPTERS

UNIDAPT® Wattmeter Connector System



Elements & connectors sold separately.

These flange adapters give your wattmeter UNIDAPT flexibility and power! Simply unscrew the standard fittings and replace them with our flange adapters. Immediately you have every connector in your UNIDAPT kit usable with your wattmeter. Save time and always have the right connector. See Unidapt® kits featured separately on page 152.

System includes two of each:


PT-4010-001 (UNIDAPT Flange adapters)
PT-4000-009 (N-Female UNIDAPT)
PT 4000-007 (UHF Female UNIDAPT)

Part #: RFA-4047

Price: \$34.95

Adapters Only

Permits use of Unidapt connectors on your Bird wattmeter or directional coupler.



For Bird 43:

Contains two PT-4010-001 Unidapt Flange adapters.
RFA-4045-A · \$16.95



For Telewave 44A:

Contains two PT-4010-002 Unidapt Flange adapters.
RFA-4046-A · \$15.65

See page 165 for complete listing of Quick Change Connectors

UNIDAPT® PT-4000-026 & PT-4000-027 Kit 2 Piece Adapter KIT

The RFA-4025 part includes PT-4000-026, Unidapt right angle adapter and PT-4000-027, Unidapt T adapter, kitted together.



Part #: RFA-4025

Price: \$22.45 ea.

UNIDAPT® Sampler Cut test time in half!

With the UNIDAPT Coaxial Signal Sampler you can test for RF power failure or inject signal for noise measurements in transmitter output circuits without dismantling the line! An adjustable BNC female port is inductively coupled to the main signal path between N male and N female ports which may be replaced with any of the UNIDAPT connector ends (purchased separately). The BNC fitting will supply between 20-80 dB of attenuated signal (depending on frequency) up to 3 GHz. Ideal for signal generators, tap offs, modulation meters or RF millivoltmeters. Power rating 50 watts.



RFA-4059-A

Includes N male (PT-4000-003) and N female (PT-4000-009) connectors.

List \$63.07 · Your Cost \$57.75

RFA-4059-A1

"Without" terminations. BNC (F) is supplied for sample port.

List \$55.01 · Your Cost \$49.90